Welcome to the CIL online training



Thank you for joining, while we wait to get started:


- Check out our HackMD: https://hackmd.io/@ccpi/cil-online-25
- Make sure you zoom name is correct
- Check your video and microphone (you will need them later)

















an open-source reconstruction platform for challenging and novel data.

Gemma Fardell – STFC

Jakob Sauer Jørgensen – DTU

Laura Murgatroyd – STFC

Danica Sugic – STFC

Hannah Robarts - STFC

Evangelos Papoutsellis – Finden

Edoardo Pasca – STFC

Margaret Duff – STFC

Franck Vidal – STFC

Casper da Casta-Luis - STFC



CIL Team





Scientific Computing @ STFC
Technical University of Denmark (DTU)
Finden

Welcome to the CIL Online Training



Day 1 - March 25th - 13:00 - 17:00 GMT

Getting Started with CIL

Learn how to use CIL for standard CT datasets, including analytical reconstruction methods (FBP and FDK), pre-processing techniques, and visualisation tools.

Day 2 - March 26th - 13:00 - 17:00 GMT

Iterative Reconstruction Techniques with CIL

Explore iterative reconstruction methods, going beyond SIRT and CGLS, and incorporating regularisation for improved results.


Day 3 - March 27th - 13:00 - 17:00 GMT

Advanced Topics in CIL

Dive into advanced capabilities, including building custom optimisation problems, using callbacks and preconditioners, and creating objective functions.

What you want to get out of this course





Our goals for Day 1



Give an overview of CT data pre-processing and FBP reconstruction with CIL

Support you in trying out CIL with our Jupyter notebook demos on the cloud

Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT , FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1 Introduction/02 intro sandstone parallel roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration


Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

HackMD



https://hackmd.io/@ccpi/cil-online-25



Mentimeter



Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1 Introduction/02 intro sandstone parallel roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course



CT and FBP

Tomography




world coordinate system
 source position


rotation axis position
 rotation axis direction
 image geometry
 data origin (voxel 0)
 rotation direction θ

detector position
 detector direction

···· detector

x data origin (pixel 0)





Beer-Lambert Law



$$rac{I}{I_0} = \exp \int_{L_i} -\mu(s) ds$$

$$b_i = -\lograc{I_i}{I_0} = \int_{L_i} \mu(s) ds$$


X-ray source

Measurement volume

Reconstructed volume:

- map of linear attenuation coefficients (μ)
- often expressed in cm⁻¹

X-ray detector









Minus log

$$rac{I}{I_0} = \exp \int_{L_i} -\mu(s) ds$$





$$b_i = -\lograc{I_i}{I_0} = \int_{L_i} \mu(s) ds$$



Take many projections









An x-ray radiograph of a shell measured at the University of Helsinki [1]

[1] Kamutta, E., Mäkinen, S., & Meaney, A. (2022). Cone-Beam Computed Tomography Dataset of a Seashell (1.1.0) [Data set]. Zenodo. https://doi.org/10.5281/zenodo.6983008

Sinogram: How the attenuation changes as we rotate the object









The shell has a much more complex sinogram











Courtesy J. Jørgensen











Pros

- Fast as based on FFT and backprojection
- Few parameters
- Typically works very well
- Reconstruction behaviour well understood

What is the Core Imaging Library?



- A Python library for processing and reconstruction of tomography data.
- Optimised standard methods, such as Filtered Back Projection
- Special emphasis on challenging data sets: noisy, non-standard, incomplete, multi-channel, ...
- Highly modular to allow creation of bespoke pipelines.
- Apache v2 license.
- Actively developed on GitHub: https://github.com/TomographicImaging/CIL


Core Imaging Library for CT and other inverse problems



```
data = ZEISSDataReader(filename).read()
data = TransmissionAbsorptionConverter()(data)
show_geometry(data.geometry)
recon = FDK(data).run()
show2D(recon)
```


- Data readers/writers
- Pre-processing tools
- Image reconstruction
- *Near math* optimisation syntax
- Visualisation
- 2D, 3D and 4D data
- TIGRE and ASTRA backend

ccpi.ac.uk/CIL




Log in to JupyterHub

- Go to: https://tinyurl.com/cil-online-25
 and write your name next to a username to claim it for the exercises
- Go to: https://training.jupyter.stfc.ac.uk/
- Sign up with the username you claimed and a password of your choice.
- No password reset option, so remember your password!
- Then log in with the username and password you set.
- Select the Tomography environment server and press "start":



Once you've logged in ...






Example: Getting started



CIL-Demos/examples/1_Introduction /exercises/00_intro_to_jupyter.ipynb


Learning Objectives:

- Learn how to use jupyter notebooks
- Check which CIL version we're running on
- Import and display an example CIL dataset



Killing kernels – IMPORTANT





Example: Walnut reconstruction!



In breakout rooms:

- Introduce yourselves and your background
- Run through the walnut notebook together (one person may screen share)
- Work together to add a question to the hackmd:

https://hackmd.io/GMitAYuFRN2dJ4md7CPa4A#Questions-about-01 intro walnut conebeamipynb

CIL-Demos/examples/1_Introduction /01_intro_walnut_conebeam.ipynb

Learning Objectives:

- Load and investigate a ZEISS data set.
- Apply CIL's TransmissionAbsorptionConverter.
- Compute FDK reconstruction using CIL and compare with a reconstruction made from fewer projections.
- Write out the reconstructed image to a TIFF stack.

CIL Online Training March 2025

hout

Current activity: Session 1: Welc.

Training timetable

Training platform instructions

Mentimeter

Your Questions

General CIL and CT questions

Technical questions

1_Introduction

1_Introduction / exercises

2_Iterative

3_Multichannel

3_Deep_Dive

Resources

Questions?



Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1_Introduction/02_intro_sandstone_parallel_roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course


Who is CIL for?



- CT experimentalists
 - Optimised standard algorithms for large data
 - Batch processing
 - To utilise reconstruction algorithms for **poor data quality** or to handle novel imaging modalities
- Image processing specialists
 - To easily implement new reconstruction algorithms
 - Assess them against existing ones.

CIL Module Structure and Contents






Jørgensen et al. 2021: *Core Imaging Library - Part I: a versatile Python framework for tomographic imaging,* Phil. Trans. R. Soc. A, **379**, 20200192: https://doi.org/10.1098/rsta.2020.0192

The **cil.plugins** module contains wrapper code for other software and third-party libraries that need to be installed separately to be used by CIL.



TomographicImaging/CIL



. bat
. bib
. cpp
. gitignore
. h
. html
. lo
. md
. png
. py
. rst
. scs
. sch
. toml
. bt
. yml


Documentation



More ▼ 🔯

Developers'

Guide



https://tomographicimaging.github.io/CIL

Welcome to CIL's documentation!

Optimisation

framework

The aim of this package is to enable rapid prototyping of optimisation-based reconstruction problems, i.e. defining and solving different optimization problems to enforce different properties on the reconstructed image, while being powerful enough to be employed on real scale problems.

Processors Recon Utilities

Firstly, it provides a framework to handle acquisition and reconstruction data and metadata; it also provides a basic input/output package to read data from different sources, e.g. Nikon X-Radia, NeXus.

Secondly, it provides an object-oriented framework for defining mathematical operators and functions as well a collection of useful example operators and functions. Both smooth and non-smooth functions can be used.

Further, it provides a number of high-level generic implementations of optimisation algorithms to solve generically formulated optimisation problems constructed from operator and function objects.

Demos and Examples

A number of demos can be found in the CIL-Demos repository.

For detailed information refer to our articles and the repositories with the code to reproduce the article's results.

- 1. Jørgensen JS et al. 2021 Core Imaging Library Part I: a versatile python framework for tomographic imaging https://doi.org/10.1098/rsta.2020.0192 . Phil. Trans. R. Soc. A 20200192. The code to reproduce the article results.
- ♠ TomographicImaging/Paper-2021-RSTA-CIL-Part-I
- 2. Papoutsellis E et al. 2021 Core Imaging Library Part II: multichannel reconstruction for dynamic and spectral tomography https://doi.org/10.1098/rsta.2020.0193 Phil. Trans. R. Soc. A 20200193. The code to reproduce the article results.
- TomographicImaging/Paper-2021-RSTA-CIL-Part-II

Cite this work

If you use this software please consider citing one or both of the articles above.

Exercise: Reconstruct a dataset yourself!



CIL-Demos/examples/1_Introduction/exercises/01_intro_seeds_conebeam.ipynb

Learning Objectives:

- Learn how to use jupyter notebooks
- Check which CIL version we're running on
- Import and display an example CIL dataset

Uncomment the following line and run the cell to see the solution, to run the lines you'll need to run the cell a second time

In []: # %Load './snippets/01_exA.py'

Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1_Introduction/02_intro_sandstone_parallel_roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1 Introduction/02 intro sandstone parallel roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration


Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

Preparing raw data for the reconstruction



Raw image



- Detectors are not perfect
- Defects build up over time
- Non uniform spread of intensity across the detector

How we do we correct for this?




Image	Sample	Beam
raw	with	on
dark field	without	off
flat field	without	on

raw



dark field



flat field




Flat-field correction: How does it work?




$$corrected\ image = \frac{raw - dark\ field}{light\ field - dark\ field}$$

corrected image



cil.processors.Normaliser(flat_field, dark_field)

Image	Sample	Beam
raw	with	on
dark field	without	off
flat field	without	on




Flat-field correction




42

Raw image



Flat-field corrected image




Centre of Rotation Correction





 CoR: The projection of the axis of rotation onto the detector


- Reconstruction assumes axis of rotation is horizontally centred on detector
- Offset introduces blurring and artifacts
- We correct for this by updating our geometry

Parallel Beam










Centre of Rotation in CIL – X Correlation




cil.processors.CentreOfRotationCorrector.xcorrelation(slice_index='centre', ang_tol=0.1)

projection_index=0,

- For parallel beam geometry
- Requires two rows 180 degrees apart








Centre of Rotation Correction





Cone/Fan Beam











Centre of Rotation in CIL – Image Sharpness




cil.processors.CentreOfRotationCorrector.**image_sharpness**(slice_index='centre', ba tolerance=0.005, search_range=None)

backend='tigre',

Reconstructs with FBP/FDK a single slice and adjusts the centre of rotation offset to maximise the sharpness

By default the search range is ¼ width of the detector panel

- For parallel beam or centre-slice cone beam
- Works best with full 360 degree data
- Can only be used on datasets that can be reconstructed with FBP/FDK





https://tomographicimaging.github.io/CIL/nightly/processors/#cil.processors.CentreOfRotationCorrector.image_sharpness


Centre of Rotation Correction in CIL - Manual




AcquisitionGeometry's .get_centre_of_rotation()

```
{'offset': (0.1, 'units distance'), 'angle': (0.0, 'radian')}
```

.set_centre_of_rotation(offset)



In CIL, the centre of rotation offset is defined as the offset from the centre of the detector panel





The object is too large to fit in the field of view, or we want a close view of a specific ROI






Figure: Bilgot et al., IEEE Nuc. Sci. Symp. Conf. Rec. (2009), 4080-4085.




The projections are **truncated** – don't cover entire width of object and are **contaminated** by data exterior to the ROI.

Reconstruction of ROI will also be contaminated.







Sample



Scan with whole sample in field of view (then cropped)



ROI scan: with only circle in field of view




Large artifact in ROI scan – white ring


To correct this we **pad the data** an amount roughly the width of the object

cil.processors.Padder







Sample



Scan with whole sample in field of view (then cropped)





ROI scan: with only circle in field of view




Corrected by padding ROI scan












2 1 1 128 256


(cc) BY-SA















- Padding provides great improvement but can't fully recover intensities
- Contamination from outside the ROI provides even greater problem with iterative reconstruction.



Many other artifacts



- Ring artifacts
- Cone beam artifacts
- Beam hardening
- Misalignment
- Motion
- And more!



F.P. Vidal et al. Investigation of artefact sources in synchrotron microtomography via virtual X-ray imaging, Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms, Volume 234, Issue 3, 2005, Pages 333-348, ISSN 0168-583X, https://doi.org/10.1016/j.nimb.2005.02.003

Sandstone Data



The Scan:

- Parallel Beam
- 0 to 180 degrees
- ROI

Centre of Rotation – which algorithm would you expect to use?

Look out for centre of rotation and ROI artifacts!

Try out the Sandstone notebook



Go to:

CIL-Demos/demos/1_Introduction/02_intro_sandstone_parallel_roi.ipynb

Learning Objectives:

- Load and investigate a real data set.
- Determine geometric information of the data and set up CIL data structures.
- Apply CIL processors to pre-process the data, including normalisation, negative log, region-of-interest and centre of rotation correction.
- Compute FBP reconstruction using CIL and compare with reconstruction provided.

Questions?



BREAK



Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1_Introduction/02_intro_sandstone_parallel_roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT, FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1_Introduction/02_intro_sandstone_parallel_roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)

- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

Explore: Synchrotron Data




Preprocessing Synchrotron Data 1_Introduction/03_preprocessing.ipynb

- 3D parallel-beam X-ray CT dataset from Beamline I13-2, Diamond Light Source.
- 0.5 mm aluminium cylinder with a piece of steel wire embedded in a small drilled hole. A droplet of salt water was placed on top, causing corrosion to form hydrogen bubbles.



- Centre of Rotation
- FBP
- Working with bad pixels
- Slicing and binning data



Explore: Cone beam data



Preprocessing Cone Beam Data

1_Introduction/exercises/02_preprocessing_seeds_conebeam.ipynb

- Same Seeds in the Box Nikon data as exercise 1
- Hands on exercise writing CIL code yourself
- Concepts:
 - Centre of Rotation
 - FDK
 - Binning data

Explore: Phase Retrieval



Paganin Phase Retrieval

4_Deep_Dives/02_phase_retrieval.ipynb

- Phase contrast imaging combines absorption data with phase information
- Can provide additional contrast for samples with similar materials
- Phase retrieval methods (e.g. Paganin) separate phase information and boost signal to noise (SNR)

```
Inits='keV',
```

Explore: Geometry



Geometry

1_Introduction/00_CIL_Geometry.ipynb

- Learn how to set-up Acquisition geometries for:
 - Parallel beam 2D and 3D
 - Cone beam 2D and 3D
 - Offsets
 - Tilted detectors

Where is my Reader?

1_Introduction/exercises/03_where_is_my_reader.ipynb

- Hands-on exercise working with cone-beam CT data
- Read in TIFF data and construct geometry from known info about the experiment

Explore!



Further Pre-processing

Preprocessing Synchrotron Data

1_Introduction/03_preprocessing.ipynb

Preprocessing Cone Beam Data

1_Introduction/exercises/02_preprocessing_seeds_conebeam.ipynb

Paganin Phase Retrieval

4_Deep_Dives/02_phase_retrieval.ipynb

Geometry

Where is my Reader?

1_Introduction/exercises/03_where_is_my_reader.ipynb

Geometry

1_Introduction/00_CIL_Geometry.ipynb

Regroup



66

Day 1 Training Program



Welcome to the CIL Online Training – 1:00 – 1:15 (Lead: Hannah)

- Course overview and HackMD
- Icebreaker

Geometry, Data Reading and FBP/FDK Reconstruction – 1:15-2:10 (Lead: Franck)

- Introduction to CT , FBP and CIL
- Cloud login
- Introduction to jupyter
- Breakout rooms: Cone beam reconstruction:
 1_Introduction/01_intro_walnut_conebeam.ipynb
- Summary

Writing your own code in CIL - 2:10-2:40 (Lead: Laura)

- CIL's structure and documentation
- 1 Introduction/Exercises/01 intro seeds conebeam.ipynb

Break 2:40-2:55

Pre-processing – 2:55-3:45 (Lead: Laura)

- Introduction to pre-processing in CIL
- Notebook: 1 Introduction/02 intro sandstone parallel roi.ipynb

Break 3:45-4:00

Time to explore and discuss – 4:00-4:50 (Lead: Franck)


- Introduction
- Option A: Further Pre-processing of Synchrotron data
- Option B: Further Pre-processing of Cone beam data
- Option C: Phase contrast
- Option D: CIL Geometry
- Takeaways from exploration

Conclusions 4:50-5:00 (Lead: Laura)

- Feedback
- Preview of tomorrow's course

CIL on GitHub.com/TomographicImaging







CCPi network: CIL User Community






And CIL discord with 200+ users

General and tailored support

Fortnightly User Drop-ins













CCPi network: CIL User Community Events



ing Model for Iterative Records

Travel grants

In person and online training

CIL User Meeting – Feb 2026 at RAL

Data and software hackathons (2 per year)

CIL-Pytorch hackathon 7-9 April @ UCL

Fortnightly Show and Tell Meetings



For more details... https://ccpi.ac.uk



Feedback on Mentimeter



See you tomorrow: Introduction to iterative reconstruction



Welcome, intro and cloud set-up 1-1:15 - Edo

Intro to optimisation – 1:15-2:15 – Edo

- Intro lecture
- Time to explore: demos/1_Introduction/04_FBP_CGLS_SIRT.ipynb
- Extension: demos/1_Introduction/05_USB
- Break

Intro to regularisation 2:30-3:30 - Jakob

- Intro lecture
- Demo: binder/PyData22_deblurring.ipynb
- Notebook: 2_Iterative/Optimisation_gd_fista.ipynb
- Break

Time to explore and discuss – 3:45-4:45 – Jakob

- Notebook: 2_Iterative/05_Laminography_with_TV.ipynb
- Notebook: 3_Multichannel/03_Hyperspectral_reconstruction.ipynb

Conclusions 4:45-5 – Jakob and Margaret